

2 SEP 47

Analytical Report

TRMD-RE/AC

2 September

SUBJECT: Flying Saucer

TO: Commanding General
Air Materiel Command
Wright Field
Dayton, Ohio
ATTN: AC/AS-E
Brig. Gen. C.F. Cabell
Headquarters, Army Air Forces
Washington 25, D. C.

1. As requested by your letter of 16 July 1947 this office has produced its conclusions on the manufacture, function and possible origin of the above referenced subject. On-site preliminary study data provided by personnel of T-2 and E-3, search and recovery team of the AFSOP, 'Paper Clip' personnel, select personnel of the Army Air Forces Scientific Advice Group and personnel of the Atomic Energy Commission Advisory Committee was utilized in the construction of our analyses.

2. The analyses of the Office of Research and Development are:

a. Aerodynamics and design evaluation studies performed by the Aircraft, Power Plant and Propeller Laboratories of Engineering Division E-3 personnel, has concluded that some notion has reached a stage of flight development in which the present ideas are entirely obsolete.

b. A notable advance in reducing drag and high-lift, wing load is evident in the "cleaned up" refinements in the extreme. The absence of riveting and surface over-lapping indicates a "simplistic" concept that confronts our technology to match the "careful and well-considered compromises in respect to weight, aerodynamic refinement, and design."

c. The designers have managed to effect Bernoulli's theorem that allows the "total pressure in a flow" to be less at all points; we can liken this to the concept of 'conservation of energy' and thus negating friction losses, which would dissipate heat.

d. The airfoil design of the circular wing is similar to the NACA 230 series with the exception to the wing plan form and thickness ratio requirements. The parasite drag appears to be controlled by the refinement of the design and the elimination of protrusions. The induced drag lessens with the circular span inversely with the low aspect-ratio of the wing.

e. The fuselage/nose appears to fall into the seaplane type in concept by manifesting excellent hydrodynamic characteristics of low

"porpoising" tendencies. Conventional surface controls are absent in the wing and cabin portions of the recovered sections though what appears to be tabs or flaps are identified. Because there are no vertical or horizontal stabilizers on the craft, there are no fore-and-aft positions of the wing relative to the fuselage/hull. Wing incidence seems to be pre-selected via an in-flight trim computer to reduce drag attitude when the wing is at the angle of attack required at high speed and provide stability to lift the weight of the craft.

Basic ltr fr R&D, to CG, AMC, AFHQ HQ, AAF, WASH. D.C., AC/AS-2, MAJIC EYES, subj "Flying Saucer".

I. A general description of the craft is presented:

- (1) Metallic skin of a high polished finish. A comparison of AISI K1112 steels indicates that the metals used to construct the craft exceed structure, chemical composition and mechanical properties currently under development. Metal specimens were subjected to AISI 8620, AISI 3140, AISI 4140, AISI 4130, AISI 5140, AISI 8640, AISI E52100, and AISI 430, 410 and 347 machining tests with negative results.
- (2) Craft designed for high altitude flight. Automatic exhaust orifices were identified. A gyro-controlled wing stabilizer apparently maintains craft in a hover mode.
- (3) Power plant may consist of a spherical reactor (hydrogen isotopes type) connected to propulsion motors.
- (4) 100 ft. in diameter with central section approximately 30 ft. Central cabin may have three flight decks: top level for flight control; central section for equipment and lower section for power plant and landing gear. Circular wing may have rotating section and adjustable leading edge.
- (5) Top (dome) may have the ability to recede into central section for high performance operations. Observation blisters are retract to provide observation top and bottom of wing.
- (6) Construction is based on a 6:1 ratio.
- (7) Flight instruments and controls are activated by optical wave guide fibers similar to glass rods except they are flexible and have a plastic cladding wrap. All functions may be operated by touch sensitive or texture sensing stimuli. Instruments are covered by a plastic plate and seem to be color coded.
- (8) Craft may have all weather navigation capability to allow 'blind flying'. Possible television viewing used.

Research and Development
Laboratory

Analytical Report

IJXAD-2B/AO

2 September

SUBJECT Flying Saucer

TO: Commanding General
Air Materiel Command
Wright Field
Dayton, Ohio
ATTN: AC/A3-g
Brig. Gen. C. P. Cabell
Headquarters, Army Air Forces
Washington 25, D. C.

1. As requested by your letter of 16 July 1947 this office has produced its conclusions on the manufacture, function and possible origin of the above referenced subject. On-site preliminary study data provided by personnel of T-2 and T-3, search and recovery team of the AFSWP, 'Paper Clip' personnel, select personnel of the Army Air Forces Scientific Advisory Group and personnel of the Atomic Energy Commission Advisory Committee was utilized in the construction of our analysis.

2. The analyses of the Office of Research and Development are:

a. Aerodynamics and design evaluation studies performed by the Aircraft, Power Plant and Propeller Laboratories of Engineering Division T-3 personnel, has concluded that some nation has reached a stage of flight development in which the present ideas are entirely obsolete.

b. A notable advance in reducing drag and high-lift, wing load is evident in the "cleaned up" refinement in the extreme. The absence of riveting and surface over-lapping indicates a "simplistic" concept that confronts our technology to match the "careful and well-considered compromises in respect to weight, aerodynamic refinement, and design."

c. The designers have managed to offset Bernouilli's theorem that allows the "total pressure in a flow" to be less at all points; we can liken this to the concept of 'conservation of energy' and their negating friction losses, which would dissipate heat.

d. The airfoil design of the circular wing is similar to the NACA 230 series with the exception to the wing plan form and thickness range requirements. The parasite drag appears to be controlled by the refinement of the design and elimination of protuberances. The induced drag lessens with the circular span inversely with the low aspect-ratio of the wing.

e. The fuselage/hull appears to fall into the seaplane type in concept by manifesting excellent hydrodynamic characteristics of low

"porpoising" tendencies. Conventional surface controls are absent in the wing and cabin portions of the recovered sections though what appears to be tabs or flaps are identified. Because there are no vertical or horizontal stabilizers on the craft, there are no fore-and-aft positions of the wing relative to the fuselage/hull. Wing incidence seems to be pre-selected via an in-flight trim computer to reduce drag attitude when the wing is at the angle of attack required at high speed and provide stability to lift the weight of the craft.

Basic ltr fr R&D, to CG, AMC, ATTN HQ, AAF, WASH. D.C., AC/AS-2, MAJIC EYES, subj "Flying Saucer".

f. A general description of the craft is presented:

- (1) Metallic skin of a high polished finish. A comparison of AISI H1112 steels indicates that the metals used to construct the craft exceed structure, chemical composition and mechanical properties currently under development. Metal specimens were subjected to AISI 8620, AISI 3140, AISI 4140, AISI E4340, AISI 5140, AISI 8640, AISI E52100, and AISI 430, 410 and 347 machining tests with negative results.
- (2) Craft designed for high altitude flight. Automatic exhaust orifices were identified. A gyro-controlled wing stabilizer apparently maintains craft in a hover mode.
- (3) Power plant may consist of a spherical reactor (hydrogen isotope type) connected to propulsion motors.
- (4) 100 ft. in diameter with central section approximately 30 ft. Central cabin may have three flight decks: top level for flight control; central section for equipment and lower section for power plant and landing gear.

Circular wing may have rotating section and adjustable leading edge.

- (5) Top (dome) may have the ability to recede into central section for high performance operations. Observation blisters are retract to provide observation top and bottom of wing.
- (6) Construction is based on a 6:1 ratio.
- (7) Flight instruments and controls are activated by optical wave guide fibers similar to glass rods except they are flexible and have a plastic cladding wrap. All functions may be operated by touch sensitive or texture sensing stimuli. Instruments are covered by a plastic plate and seem to be color coded.
- (8) Craft may have all weather navigation capability to allow 'blind flying'. Possible television viewing used.

ORDER FORM

Majic Eyes Only: Earth's Encounters with ET Technology (320pgs-hardback) (\$30)....	QTY _____	\$ _____
DVD of "The Secret" as Seen on Sci-Fi Channel (\$18).....	QTY _____	\$ _____
Majestic Documents Book (190 pages) (\$18).....	QTY _____	\$ _____
CD "The Secret" Authenticity of MJ Documents (\$5).....	QTY _____	\$ _____
SOM1-01-ET Technology Recovery and Disposal (\$5).....	QTY _____	\$ _____
1st Annual Conference Proceedings (227pages) (\$35).....	QTY _____	\$ _____
CD Audio Set of 1st UFO Crash Retrieval Conf (\$160).....	QTY _____	\$ _____
2nd Annual Conference Proceedings (251 pages) (\$35).....	QTY _____	\$ _____
DVD Set of 2nd UFO Crash Retrieval Conf (\$240).....	QTY _____	\$ _____

Individual DVD's of 2nd Crash Con Speakers (\$20)

Nick Redfern – Crashed UFOs – Worldwide History.....	QTY _____	\$ _____
Jim Marrs – The Very First UFO Crash Retrieval 1896?.....	QTY _____	\$ _____
Don Ledger – Shag Harbor Incident.....	QTY _____	\$ _____
Peter Robbins – Brentwaters/ Woodbridge.....	QTY _____	\$ _____
Linda Moulton Howe – US Policy of Denial In the Interest of National Security.....	QTY _____	\$ _____
Grant Cameron – The Presidents Hard Evidence (both parts).....	QTY _____	\$ _____
Stephen Bassett – A Message to President Elect – Truth Retrieval.....	QTY _____	\$ _____
Dr. Robert Wood – Correlating Leonard Stringfield's Crash Reports.....	QTY _____	\$ _____
Paul Davids – The Road to Roswell – Undisputed facts and Factual Disputes.....	QTY _____	\$ _____
Dr. David Pace – Inside the USSR Majestic 12 Program.....	QTY _____	\$ _____
Ryan Wood – Murder and Majestic 12 – Investigation of UFO Related Deaths.....	QTY _____	\$ _____
Various Presenters: three 30 minute contributed talks: Paul Kimball: Crash at Aztec; Chuck Wade: Debris from Plains UFO crash; Ron Regehr: Ramey Office photographs.....	QTY _____	\$ _____

3rd Annual Conference Proceedings (200 pages) (\$35).....	QTY _____	\$ _____
DVD Set of 3rd UFO Crash Retrieval Conf (\$240/set).....	QTY _____	\$ _____

Individual DVD's of 3rd Crash Con Speakers (\$20/each)

Dr. Robert Wood- Examination of Reverse Engineering Claims.....	QTY _____	\$ _____
Dr. Tom Valone – UFO Energy & Antigravity Systems.....	QTY _____	\$ _____
Speaker Panel Moderated by Stephen Bassett.....	QTY _____	\$ _____
Dr. Roger Leir – The Varginha Brazil UFO crash.....	QTY _____	\$ _____
Linda Moulton Howe –1953, DRES, Millard County, UT Crash.....	QTY _____	\$ _____
Nick Redfern – Big Thicket, TX Crash & 1953 Kingman AZ crash.....	QTY _____	\$ _____
Richard Dolan – Sociological & Political Implications of Disclosure.....	QTY _____	\$ _____
Chuck Zukowski, Debbie Ziegelmeier – Roswell Archeological Dig Results.....	QTY _____	\$ _____
Reme Baca – San Antonio, NM 1945 UFO Crash.....	QTY _____	\$ _____
Jim Marrs – Keynote – Will Rocket Engines Go The Way Of The Dodos?.....	QTY _____	\$ _____
Ryan Wood –New Book – Majic Eyes Only.....	QTY _____	\$ _____
Peter Robbins – Orgone Energy & Wilhelm Reich & UFOs.....	QTY _____	\$ _____
Dr. Roger Leir – Analysis of Metal Fragments from UFO.....	QTY _____	\$ _____
Bill Hamilton – The Case for Reverse Engineering.....	QTY _____	\$ _____
Ken Storch – Arizona 1998 Landed UFO, Military & Murder.....	QTY _____	\$ _____

Individual DVD's of 4th Crash Con Speakers (\$20/each)

Stanton Friedman - The UFO "Why" Questions.....	QTY _____	\$ _____
Dr. Michael Salla – The Covert World of UFO Crash Retrievals.....	QTY _____	\$ _____
Richard Dolan – UFO Crash Retrievals: Leaks and Secrecy.....	QTY _____	\$ _____
Paul Schatzkin – Defying Gravity: Material on T. Townsend Brown.....	QTY _____	\$ _____
Ryan Wood – The Devils Hole UFO Crash Retrieval.....	QTY _____	\$ _____
Peter Merlin – How the Government Responds to Top Secret Crashes.....	QTY _____	\$ _____
Michael Lindemann – Scenarios of Contact.....	QTY _____	\$ _____
George Knapp – TV Journalist' Perspective on Ufology.....	QTY _____	\$ _____
Robert M. Wood, Ph.D. – Alien Viruses and Leaked Documents.....	QTY _____	\$ _____
Nick Redfern – Crashed UFO's and Bio-Warfare.....	QTY _____	\$ _____
Frank Feshino – The Braxton County Monster.....	QTY _____	\$ _____
Linda Moulton Howe – Military Voices: Firsthand Testimonies.....	QTY _____	\$ _____
Dr. Bruce Maccabee – December 6, 1950 UFO Crash Retrieval.....	QTY _____	\$ _____
Matthew E. Thuney – The Lummi Island Incident.....	QTY _____	\$ _____

1st Annual UFO Crash Retrieval Conference Audio Tape Set (2003) (\$160)....	QTY _____	\$ _____
---	-----------	----------

Shipping and Handling (\$8.00).....	\$ _____
-------------------------------------	----------

Total Paid.....	\$ _____
-----------------	----------

Please Print and Send Check, Money Order or Credit Card Info

Name: _____

Address: _____ City: _____ State: _____ Zip: _____

Phone: Work _____ Home _____

Fax: _____ Email: _____

(Circle) Visa/MasterCard Number: _____ - _____ - _____ Expires: _____ / _____

Security Code on back of card _____

Signature: _____